


TECH CENTER 1600/2900

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		







Fig. 1D

APPROVED	O.G. FIG.
BY	CLASS
DRAFTSMAN	SUBCLASS






RECEIVED

JAN 27 2003

TECH CENTER 1600/2900

Fig. 1H

FIG.	SUBCLASS
CLASS	
BY	
DRAFTSMAN	







RECEIVED
JAN 27 2003
TECH CENTER 1600/2900

Fig. 6

APPROVED	FIG. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		






RECEIVED

JAN 27 2003

TECH CENTER 1600/2900

Fig. 7



APPROVED	BY	DRAFTSMAN
FIG. 7		
CLASS		
SUBCLASS		

RECEIVED


JAN 27 2003

TECH CENTER 1600/2900



Fig. 8

ESI-TOF MS of sspe 56mer + Calibrant




O.G. FIG.	CLASS	SUBCLASS
	BY DRAFTSMAN	APPROVED



RECEIVED
JAN 27 2003
TECH CENTER 1600/2900

Fig. 9




O.G. FIG.	
APPROVED BY	DRAFTSMAN
CLASS	
SUBCLASS	



RECEIVED
JAN 27 2003
TECH CENTER 1600/2900

Fig. 10

APPROVED BY DRAFTSMAN	O.G. FIG.	
	CLASS	SUBCLASS




RECEIVED

JAN 27 2003

TECH CENTER 1600/2900



Fig. 11





RECEIVED
JAN 27 2003
TECH CENTER 1600/2900




Fig. 12

APPROVED	O.C. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

JAN 27 2003

A circular black and white stamp. The text "OIPE JC180" is curved along the top inner edge. The date "JAN 22 2003" is stamped in the center. The text "PATENT & TRADEMARK OFFICE" is curved along the bottom inner edge.




Fig. 13

O.G. FIG.	
CLASS	SUBCLASS
BY DRAFTSMAN	